PR00907: THRMBOMODULN

Thrombomodulin signature

- Introduction
- Block number PR00907A
- Block number PR00907B
- Block number PR00907C
- Block number PR00907D
- Block number PR00907E
- Block number PR00907F
- Block number PR00907G
- Block number PR00907H
- Block number PR00907I
- PRINTS Entry PR00907 (source of blocks)
- Block Map [About Maps]
- Logos.[About Logos]
 Select display format: [GIF] [PDF] [Postscript]
- Tree from blocks alignment. [About Trees] [About ProWeb TreeViewer] [Data] [ProWeb TreeViewer] [XBitmap] [GIF] [PDF] [Postscript] [Newick]
- PDB entries
- Search blocks vs other databases:
 - COBBLER sequence and BLAST searches [About COBBLER]
 - MAST Search of all blocks vs a sequence database [About MAST]
 - LAMA search of all blocks vs a blocks database [About LAMA]
- CODEHOP to design PCR primers from blocks [About CODEHOP]
- SIFT to predict amino acid substitutions in blocks [About SIFT]
- Additional Links

Prints Database 35 in Blocks Format, Jul 2002
Made available by the Fred Hutchinson Cancer Research Center
1100 Fairview AV N, A1-162, PO Box 19024, Seattle, WA 98109-1024
Based on PRINTS Database as described by TK Attwood, et al (1994),
NAR 22(17):3590-3596. ID is from PRINTS gc line, AC is from
PRINTS gx line, DE is from PRINTS gt line, BL is BLOCK information.
Each PRINTS motif is represented by one block. For each segment, the
sequence ID is followed by the position of the first residue in the
segment. Sequence weights are shown to the right of each segment. The
higher the weight (maximum 100) the more dissimilar the segment is from
other segments in the block. These weights were obtained using the
position-based method of S Henikoff & JG Henikoff (1994), JMB 243:574-578.

```
Calibrated with position-specific scoring matrices made with pseudo-counts, JG Henikoff & S Henikoff (1996), CABIOS 12(2):135-143.
```

[Return to top]

Block PR00907A

```
ID THRMBOMODULN; BLOCK

AC PR00907A; distance from previous block=(232,233)

DE Thrombomodulin signature

BL adapted; width=20; seqs=3; 99.5%=823; strength=1362

035370 (232) GHWTREVTGAWNCSVENGGC 100

TRBM MOUSE P15306 (232) GHWAWEATGAWNCSVENGGC 96

TRBM HUMAN P07204 (233) GHWAREAPGAWDCSVENGGC 100
```

[Return to top]

Block PR00907B

```
ID THRMBOMODULN; BLOCK

AC PR00907B; distance from previous block=(-1,0)

DE Thrombomodulin signature

BL adapted; width=17; seqs=3; 99.5%=734; strength=1262

035370 ( 251) CEYMCNRSANGPRCVCP 84

TRBM MOUSE P15306 ( 251) CEYLCNRSTNEPRCLCP 84

TRBM HUMAN P07204 ( 252) CEHACNAIPGAPRCQCP 100
```

[Return to top]

Block PR00907C

```
ID THRMBOMODULN; BLOCK

AC PR00907C; distance from previous block=(4,4)

DE Thrombomodulin signature

BL adapted; width=24; seqs=3; 99.5%=941; strength=1371

035370 (272) LQADGRSCAKPVAQLCNELCQHFC 94

TRBM MOUSE P15306 (272) LQADGRSCARPVVQSCNELCEHFC 88

TRBM HUMAN P07204 (273) LQADGRSCTASATQSCNDLCEHFC 100
```

[Return to top]

Block PR00907D

```
ID THRMBOMODULN; BLOCK

AC PR00907D; distance from previous block=(48,48)

DE Thrombomodulin signature

BL adapted; width=26; seqs=3; 99.5%=994; strength=1481

035370 (344) GGFECRCYDGYELVDGECVEQLDPCF 89

TRBM MOUSE P15306 (344) GGFECFCYDGYELVDGECVELLDPCF 89

TRBM HUMAN P07204 (345) GGFECHCYPNYDLVDGECVEPVDPCF 100
```

[Return to top]

Block PR00907E

```
ID THRMBOMODULN; BLOCK

AC PR00907E; distance from previous block=(3,3)

DE Thrombomodulin signature

BL adapted; width=23; seqs=3; 99.5%=919; strength=1375

035370 (373) CEYQCQPVNSTHYNCICAEGFAP 91

TRBM MOUSE P15306 (373) CEFQCQPVSPTDYRCICAPGFAP 100

TRBM HUMAN P07204 (374) CEYQCQPLNQTSYLCVCAEGFAP 97
```

[Return to top]

Block PR00907F

```
ID THRMBOMODULN; BLOCK

AC PR00907F; distance from previous block=(4,4)

DE Thrombomodulin signature

BL adapted; width=19; seqs=3; 99.5%=782; strength=1396

035370 (400) PDRCEMFCNETSCPADCDP 93

TRBM MOUSE P15306 (400) PHKCEMFCNETSCPADCDP 93

TRBM HUMAN P07204 (401) PHRCQMFCNQTACPADCDP 100
```

[Return to top]

Block PR00907G

```
ID THRMBOMODULN; BLOCK

AC PR00907G; distance from previous block=(35,35)

DE Thrombomodulin signature

BL adapted; width=27; seqs=3; 99.5%=1038; strength=1431

035370 (454) CRNLPGSYECICGPDTALAGQISKDCD 80

TRBM MOUSE P15306 (454) CRNFPGSYECICGPDTALAGQISKDCD 83

TRBM HUMAN P07204 (455) CHNLPGTFECICGPDSALARHIGTDCD 100
```

[Return to top]

Block PR00907H

```
ID THRMBOMODULN; BLOCK

AC PR00907H; distance from previous block=(32,35)

DE Thrombomodulin signature

BL adapted; width=25; seqs=3; 99.5%=918; strength=1397

O35370 (516) HSGVLIGISIASLSLVVALLALLCH 94

TRBM MOUSE P15306 (516) HSGVLIGISIASLSLVVALLALLCH 94

TRBM HUMAN P07204 (514) HSGLLIGISIASLCLVVALLALLCH 100
```

[Return to top]

Block PR00907I

```
ID THRMBOMODULN; BLOCK

AC PR00907I; distance from previous block=(8,8)

DE Thrombomodulin signature

BL adapted; width=25; seqs=3; 99.5%=931; strength=1340

035370 (549) RAELEYKCTSSAKEVVLQHVRTDRT 86

TRBM MOUSE P15306 (549) RAELEYKCASSAKEVVLQHVRTDRT 84

TRBM HUMAN P07204 (547) RAKMEYKCAAPSKEVVLQHVRTERT 100
```

//

[Return to top]

COBBLER sequence (region containing Blocks only)

To do a BLAST search, copy the cobbler sequence below then click on a BLAST link

[Blast Search] [Gap-Blast Search] [PSI-Blast Search]

COBBLER sequence:

>PR00907 035370 | 035370 from 222 to 577 with embedded consensus blocks vcralpgtseGHWAREATGAWNCSVENGGCCEYMCNRSPNGPRCLCPggdlLQADGRSCAKPVTQSCNELCEHFCnnsdv pgsyscmcetgyqlaadghrcedvddckqgpnpcpqlcsntegGGFECHCYDGYELVDGECVEPLDPCFskcCEYQCQPV NPTHYRCICAEGFAPlddpPHRCEMFCNETSCPADCDPspsfcqcpegfildegsictdidecsqgecltnecCRNLPGS YECICGPDTALAGQISKDCDipvledsedggsgehpssnptvvsstvppsarpmhHSGVLIGISIASLCLVVALLALLCH rkkqqtarRAELEYKCASSAKEVVLQHVRTDRTqkf

[Return to top]

Additional Links (separate browser window)

InterPro IPR001491 PROSITE PS00022 MetaFam PR00907

[Blocks home]